

# SAFETY DATA SHEET

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

#### **Trade name**

Antique Lye

Product no.

# **REACH registration number**

Not applicable

Other means of identification

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

# Relevant identified uses of the substance or mixture

wood surfaces, indoors

**Uses advised against** 

The full text of any mentioned and identified use categories are given in section 16

### 1.3. Details of the supplier of the safety data sheet

### **Company and address**

WoodCare Denmark A/S

Tværvei 6

6640 Lunderskov

Denmark

Tel: +45 99585600

Fax:+45 99585634

## **Contact person**

LFH

#### E-mail

info@ttwoodcare.com

### **SDS** date

29-01-2014

#### **SDS Version**

1.0

# 1.4. Emergency telephone number

Use your national or local emergency number

See section 4 "First aid measures"

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Skin Corr. 1A // H314

See full text of H/R-phrases in section 2.2.

# **DPD/DSD Classification**

Corrosive. (C).

Causes severe burns.(R35).

#### 2.2. Label elements

### Hazard pictogram(s)





### Signal word

Danger!

### **Hazard statement(s)**

Causes severe skin burns and eye damage. (H314)

### Identity of the substances primarily responsible for the major health hazards

sodium hydroxide

General If medical advice is needed, have product container or label at hand. (P101)

Keep out of reach of children. (P102)

Prevention Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response IF SWALLOWED: rinse mouth. Do NOT induce vomiting. Immediately call a

SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. Immediately call a POISON CENTER or doctor/physician. (P303+P361+P353+310) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

POISON CENTER or doctor/physician. (P301+P330+P331+310) IF ON

to do. Continue rinsing. Immediately call a POISON CENTER or

doctor/physician. (P305+P351+P338+310)

Storage Store locked up. (P405)

Disposal Dispose of contents/container to an approved waste disposal plant. (P501)

#### 2.3. Other hazards

Safety

statement(s)

#### **Additional labelling**

Additional warnings

Tactile warning. If this product is sold retail, it must be delivered in a child-proof container.

VOC

VOC-MAX: 0 g/l, MAXIMUM VOC CONTENT (A (WB)): 30 g/l.

### **SECTION 3: Composition/information on ingredients**

### 3.1/3.2. Substances

NAME: sodium hydroxide

IDENTIFICATION NOS.: CAS-no: 1310-73-2 EC-no: 215-185-5 Index-no: 011-002-00-6

CONTENT: 1-5%
DSD CLASSIFICATION: C; R35
CLP CLASSIFICATION: Skin Corr. 1A
H314

(\*) See full text of H/R-phrases in chapter 16. Occupational limits are listed in section 8, if these are available.

#### Other informations

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### **General information**

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor, if in doubt about the injured person's condition or if the symptoms continue. Never give an unconscious person water or similar.

### Inhalation

Get the person into fresh air and stay with them.

### **Skin contact**

Remove contaminated clothing and shoes at once. Skin that has come in contact with the material must be washed thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

#### Eye contact

Remove contact lenses. Flush eyes with plenty of water (20-30°C) for at least 15 minutes and continue until irritation stops. Make sure you flush under the upper and lower eyelids. Contact a doctor at once. **Ingestion** 





Give the person plenty to drink and stay with the person. If the person feels unwell, contact a doctor immediately and take this safety data sheet or the label from the product with you. Do not induce vomiting unless recommended by the doctor. Hold head facing down so that no vomit runs back into the mouth and throat.

#### **Burns**

Rinse with water until the pain stops and continue for 30 minutes.

### 4.2. Most important symptoms and effects, both acute and delayed

Tissue damaging effects: This product contains substances which are corrosive. If vapour or aerosols are in haled, it can result in damage to lungs, irritation and burns in the respiratory organs as well as coughing. Corrosive substances cause irreversible damage to eyes and acid burns to skin.

#### 4.3. Indication of any immediate medical attention and special treatment needed

IF exposed or concerned:

Get immediate medical advice/attention.

#### Information to medics

Bring this safety data sheet.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Recommended: alcohol-resistant foam, carbonic acid, powder, water mist. Water jets should not be used, since they can spread the fire.

### 5.2. Special hazards arising from the substance or mixture

If the product is exposed to high temperatures, as in the case of fire, dangerous catabolic substances are produced. These are: Some metal oxides. Fire will result in thick black smoke. Exposure to catabolic products can damage your health. Fire fighters should use proper protection gear. Closed containers, which are exposed to fire, should be cooled with water. Do not let fire-extinguishing water run into sewers and other water courses.

#### 5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid direct contact with spilled substances. Avoid inhalation of vapours from waste material.

### 6.2. Environmental precautions

No specific requirements.

# 6.3. Methods and material for containment and cleaning up

Use sand, sawdust, earth, vermiculite, diatomaceous earth to contain and collect non-combustible absorbent materials and place in container for disposal, according to local regulations. Cleaning should be done as far as possible using normal cleaning agents. Solvents should be avoided.

### 6.4. Reference to other sections

See section on "Disposal considerations" with regard to the handling of waste. See section on 'Exposure controls/personal protection' for protective measures.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Smoking, consumption of food or liquid, and storage of tobacco, food or liquids are not allowed in the workrooms. See section on 'Exposure controls/personal protection' for information on personal protection. Avoid direct contact with the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Always store in containers of the same material as the original. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

#### Storage temperature

Store frost-free.

### 7.3. Specific end use(s)

This product should only be used for applications described in Section 1.2



#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

#### **OEL**

sodium hydroxide (EH40/2005)

Long-term exposure limit (8-hour TWA reference period): - ppm | - mg/m3 Short-term exposure limit (15-minute reference period): - ppm | 2 mg/m3

#### **DNEL / PNEC**

No data available.

#### 8.2. Exposure controls

Compliance with the stated exposure limits values should be checked on a regular basis.

### General recommendations

Smoking, consumption of food or liquid, and storage of tobacco, food or liquid, are not allowed in the workroom.

#### **Exposure scenarios**

If there is an appendix to this safety data sheet, the indicated exposure scenarios must be complied.

### **Exposure limits**

Trade users are covered by the rules of the working environment legislation on maximum concentrations for exposure. See work hygiene threshold values below.

#### **Appropriate technical measures**

Airborne gas and dust concentrations must be kept as low as possible and below the current threshold values (see below). Use for example an exhaust system if the normal air flow in the work room is not sufficient. Make sure that eyewash and emergency showers are clearly marked.

### **Hygiene measures**

Whenever you take a break in using this product and when you have finished using it, all exposed areas of the body must be washed. Always wash hands, forearms and face.

### Measures to avoid environmental exposure

Keep damming materials near the workplace. If possible collect spillage during work.

### Individual protection measures, such as personal protective equipment



#### Generally

Only CE-marked personal protection equipment should be used.

#### **Respiratory Equipment**

No specific requirements.

### **Skin protection**

Special work clothing should be used. When working with this product for a long period of time, use a protective suit.

# **Hand protection**

Recommended: Nitrile rubber. . Breakthrough time: See the manufacturer's instructions

### Eye protection

Use face shield. Use safety glasses with a side shield as an alternative.

#### **SECTION 9: Physical and chemical properties**

9.1	١. ا	Inf	format	ion on	bas	ic p	hys	ical	and	С	hemi	ical	pro	pertie	S
-----	------	-----	--------	--------	-----	------	-----	------	-----	---	------	------	-----	--------	---

Form	Colour	Odour	рН	Viscosity	Density (g/cm3)
Liquid	Clear	Faint	13	-	1


**Phase changes** 

Melting point (°C) Boiling point (°C) Vapour pressure (mm Hg)

Data on fire and explosion hazards

Flashpoint (°C) Ignition (°C) Self ignition (°C)

Explosion limits (Vol %) Oxidizing properties





-

**Solubility** 

Solubility in water n-octanol/water coefficient

Soluble

9.2. Other information

Solubility in fat Additional information

N/A

### **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

No data available

### 10.2. Chemical stability

The product is stable under the conditions, noted in the section on "Handling and storage".

#### 10.3. Possibility of hazardous reactions

No special

### 10.4. Conditions to avoid

Do not expose to heat (e.g. sunlight), because it can lead to excess pressure.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidising agents, and strong catabolic agents.

### 10.6. Hazardous decomposition products

The product is not degraded when used as specified in section 1.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### **Acute toxicity**

Substance Species Test Route of exposure Result

No data available.

### Skin corrosion/irritation

Causes severe skin burns and eye damage.

### Serious eye damage/irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

No data available.

### **Germ cell mutagenicity**

No data available.

### Carcinogenicity

No data available.

# Reproductive toxicity

No data available.

### **STOT-single exposure**

No data available.

# **STOT-repeated exposure**

No data available.

#### **Aspiration hazard**

No data available.

# Long term effects

Tissue damaging effects: This product contains substances which are corrosive. If vapour or aerosols are in haled, it can result in damage to lungs, irritation and burns in the respiratory organs as well as coughing. Corrosive substances cause irreversible damage to eyes and acid burns to skin.

### **SECTION 12: Ecological information**

#### 12.1. Toxicity

Substance Species Test Test duration Result

No data available.

### 12.2. Persistence and degradability

Substance Biodegradability Test Result



No data available.

#### 12.3. Bioaccumulative potential

LogPow Substance Potential bioaccumulation **BFC** 

No data available.

### 12.4. Mobility in soil

No data available

### 12.5. Results of PBT and vPvB assessment

No data available

#### 12.6. Other adverse effects

No special

### **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

The product is covered by the regulations on dangerous waste.

#### Waste

**EWC** code

# Specific labelling

### Contaminated packing

Packaging which contains leftovers from the product must be disposed of in the same way as the product.

### **SECTION 14: Transport information**

This product is covered by the conventions on dangerous goods.

14.1 - 14.4

ADR/RID	14.1. UN number	14.2. UN proper shipping name CORROSIVE LIQUID.	14.3. Trans class(es)	port hazard	14.4. Packing group		Notes -	
	3266	BASIC, INORGANIC, N.O.S.  Proper Shipping Name	8		1			
IMDG	UN-no.		Class	PG*	EmS	MP**	Hazardous constituent	
	3266	CORROSIVE LIQUID, BASIC, INORGANIC,	8	1	-	-	-	

#### 14.5. Environmental hazards

# 14.6. Special precautions for user

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No data available

(\*) Packing group

(\*\*) Marine pollutant

#### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### **Restrictions for application**

People under the age of 18 must not be exposed to this product cf. Council Directive 94/33/EC. For exceptions, see the Danish Working Environment Authority's Executive Order No. 239 of 6 April 2005.

### **Demands for specific education**

**Additional information** 

### 15.2. Chemical safety assessment

No

#### **SECTION 16: Other information'**



#### **Sources**

EC regulation 1907/2006 (REACH) Directive 2000/532/EC EC Regulation 1272/2008 (CLP)

### Full text of H/R-phrases as mentioned in section 3

R35 - Causes severe burns.

H314 - Causes severe skin burns and eye damage.

#### The full text of identified uses as mentioned in section 1

### Other symbols mentioned in section 2

# Other

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

A change (in proportion to the last essential change (first cipher in SDS version)) is marked with a blue triangle.

The safety data sheet is validated by

LFH

Date of last essential change (First cipher in SDS version)

Date of last minor change (Last cipher in SDS version)

-

ALPHAOMEGA. Licens nr.:2803246617, WoodCare Denmark A/S www.chymeia.com